

CONSERVE & \$AVE™

COMMERCIAL CENTRAL CHILLERS REBATE APPLICATION

SECTION A. CUSTOMER INFORMATION (please print)

Account Name _____ Doing Business As (if different from Account Name) _____

Installation Address _____ City _____ State _____ Zip Code _____

Mailing Address (if different from above) (rebate check will be mailed here) _____ City _____ State _____ Zip Code _____

Account Number _____

☐ Send us a rebate check. ☐ Apply rebate to our account.
(Rebates \$75 and under will be applied to your account. If a box is not checked a bill credit will automatically be issued.)

Type of Business: ☐ Church ☐ Government ☐ Grocery ☐ Health ☐ Industrial ☐ Lodging
☐ Multi-family ☐ Office ☐ Restaurant ☐ Retail ☐ School ☐ Other _____

How did you hear about CONSERVE & \$AVE™? ☐ Billboard ☐ Chamber of Commerce ☐ Contractor ☐ Newspaper ☐ Radio
☐ Retailer/Vendor ☐ Social Media ☐ TV ☐ Utility Newsletter ☐ Utility Representative ☐ Utility Web Site ☐ Other _____

SECTION B. CONTACT INFORMATION (please print)/CUSTOMER SIGNATURE

ATTENTION: ALL INVOICES OR RECEIPTS AND ALL SPECIFICATION SHEETS MUST BE INCLUDED WITH YOUR FULLY-COMPLETED AND SIGNED APPLICATION OR APPLICATION WILL BE RETURNED.

Contact Name (rebate check will be mailed to contact) _____ () _____
Daytime Phone Number

Email _____

I certify that all the information in the application (including any associated worksheets) is correct to the best of my knowledge. I have read and agree to the Terms and Conditions on the back of this application booklet. I understand that if any equipment in conjunction with this application is ordered, purchased, or installed before approval from The Utility is received, the proposed project may not qualify for a rebate.

Customer's Signature _____ Date _____

☐ Check here if you DO NOT give us permission to use your business name in advertising our CONSERVE & \$AVE™ programs.

SECTION C. CONTRACTOR/VENDOR INFORMATION (please print)

Company Name _____

Address _____ City _____ State _____ Zip Code _____

Contact Name _____ () _____
Daytime Phone Number

Email _____

TEAMING UP TO SAVE YOU MONEY



OFFICE USE ONLY

Date Received: _____

Inspected (Date & Initials): Pre: _____ Post: _____

Approval: _____

Date: _____

A/N: _____

TOTAL REBATE:

\$

SECTION D. REBATE INFORMATION – WATER & AIR COOLED CHILLERS (FOR SPACE COOLING) For PATH A Chillers (fixed speed/no demand limiting)

Project Type: ☐ NEW CONSTRUCTION ☐ RETROFIT IF RETROFIT, IS EXISTING EQUIPMENT STILL OPERATIONAL? ☐ YES ☐ NO

EXISTING CHILLER (if operational)					NEW CHILLER										REBATE	
A Unit Code (Table 1)	B Nominal Capacity (Tons)	C Rated FLV Efficiency (enter value and select units)	D Rated IPLV Efficiency (enter value and select units)	E Qty.	F Unit Code (Table 1)	G Manufacturer Name	H Model Number	I Nominal Capacity (Tons)	J Min. FLV Eff. (Table 1)	K Rated FLV Eff.	L Min. IPLV Eff. (Table 1)	M Rated IPLV Eff.	N Qty.	O Annual Cooling Hours (Table 2)	P Equipment Cost	Q Rebate (calculations below) (limited to 50% of new chiller cost)
		☐ EER ☐ kW/ton	☐ EER ☐ kW/ton												\$	\$
		☐ EER ☐ kW/ton	☐ EER ☐ kW/ton												\$	\$
		☐ EER ☐ kW/ton	☐ EER ☐ kW/ton												\$	\$

REBATE CALCULATIONS:

WATER COOLED CHILLERS: (Tested at AHRI standard 550/590 rating conditions? ☐ YES ☐ NO

New Qty _____ x New Tons _____ X \$15 = \$ _____ REBATE

AIR COOLED CHILLERS:

New Qty _____ x New Tons _____ X \$8 = \$ _____ REBATE

TOTAL \$

REBATE IS LIMITED TO 50% OF NEW CHILLER COST.

TABLE 1 – QUALIFYING EFFICIENCIES AND REBATE SCHEDULE							TABLE 2 – GUIDELINES FOR COOLING HOURS		
Path A – Water and Air Cooled Chillers with Fixed Speed / No Demand Limiting Controls							Business Type	Estimated Hours	
Code	Qualifying Equipment	Min. FLV Eff.	Min. IPLV Eff.	Base Rebate \$/Ton					
C1-20A	Water-Cooled Screw/Scroll Chiller – Less than 75 Tons	0.730 kW per Ton	0.580 kW per Ton	\$15			Convenience Store	986	
C2-20A	Water-Cooled Screw/Scroll Chiller – 75 to less than 150 Tons	0.725 kW per Ton	0.565 kW per Ton	\$15			Education – Community College	785	
C3-20A	Water-Cooled Screw/Scroll Chiller – 150 and less than 300 Tons	0.630 kW per Ton	0.530 kW per Ton	\$15			Education – Primary	408	
C4-20A	Water-Cooled Screw/Scroll Chiller – 300 Tons and Greater	0.570 kW per Ton	0.490 kW per Ton	\$15			Education – Secondary	563	
C5-20A	Water-Cooled Centrifugal Chiller – Less than 150 Tons	0.618 kW per Ton	0.576 kW per Ton	\$15			Health/Medical – Clinic	865	
C6-20A	Water-Cooled Centrifugal Chiller – 150 and less than 300 Tons	0.618 kW per Ton	0.576 kW per Ton	\$15			Health/Medical – Hospital	1,298	
C7-20A	Water-Cooled Centrifugal Chiller – 300 and less than 600 Tons	0.560 kW per Ton	0.529 kW per Ton	\$15			Lodging	754	
C8-20A	Water-Cooled Centrifugal Chiller – 600 Tons and Greater	0.554 kW per Ton	0.519 kW per Ton	\$15			Manufacturing	589	
C9-20A	Air-Cooled Chiller – Less than 150 Tons	9.74 EER	14.0 EER	\$8			Office – Low Rise	446	
C10-20A	Air-Cooled Chiller – 150 Tons and Greater	9.74 EER	14.3 EER	\$8			Office – Mid Rise	651	
							Office – High Rise	1,263	
							Other/Miscellaneous	729	
							Restaurant	652	
							Retail – Large Department Store	686	
							Retail – Strip Mall	574	
							Warehouse	409	

FLV – Full Load Value; IPLV – Integrated Part Load Value; EER – Energy Efficiency Rating; Cooling Tons = BTU/h cooling capacity/12,000

Note: Qualifying chillers must be used for space cooling and the meet efficiency requirements shown in Table 1 above to be eligible. **Documentation is required.** This can be a printout from the AHRI directory (www.ahridirectory.org) showing the nominal capacity (tons), and the IPLV efficiency and FLV efficiency. If the chiller has not been tested by AHRI, manufacturer documentation must show the nominal capacity (tons), and the IPLV efficiency and FLV efficiency at AHRI standard 550/590 rating conditions. For water cooled centrifugal chillers not tested at AHRI standard 550/590 rating conditions, manufacturer documentation must show the nominal capacity (tons), and the IPLV efficiency, FLV efficiency, leaving chilled water temperature, and condenser water temperature, and condenser gpm at operating conditions so we can determine eligibility and rebate amount.

SECTION E. REBATE INFORMATION – WATER & AIR COOLED CHILLERS (FOR SPACE COOLING) For PATH B Chillers (variable speed or demand limited)

Project Type: ☐ NEW CONSTRUCTION ☐ RETROFIT IF RETROFIT, IS EXISTING EQUIPMENT STILL OPERATIONAL? ☐ YES ☐ NO

EXISTING CHILLER (if operational)				NEW CHILLER								REBATE				
A Unit Code (Table 3)	B Nominal Capacity (Tons)	C Rated FLV Efficiency (enter value and select units)	D Rated IPLV Efficiency (enter value and select units)	E Qty.	F Unit Code (Table 3)	G Manufacturer Name	H Model Number	I Nominal Capacity (Tons)	J Min. FLV Eff. (Table 3)	K Rated FLV Eff.	L Min. IPLV Eff. (Table 3)	M Rated IPLV Eff.	N Qty.	O Annual Cooling Hours (Table 4)	P Equipment Cost	Q Rebate (calculations below limited to 50% of new chiller cost)
		☐ EER ☐ kW/ton	☐ EER ☐ kW/ton												\$	\$
		☐ EER ☐ kW/ton	☐ EER ☐ kW/ton												\$	\$
		☐ EER ☐ kW/ton	☐ EER ☐ kW/ton												\$	\$

REBATE CALCULATIONS: WATER COOLED CHILLERS: (FLV and IPLV must be in kW/ton) (Tested at AHRI standard 550/590 rating conditions? ☐ YES ☐ NO

New Qty _____ x New Tons _____ X { \$15 + [\$200 X (_____ Minimum IPLV - _____ Rated IPLV)] } = \$ _____ REBATE

AIR COOLED CHILLERS: (FLV and IPLV must be in EER)

New Qty _____ x New Tons _____ X { \$8 + [\$20.00 X (_____ Rated IPLV - _____ Minimum IPLV)] } = \$ _____ REBATE

TOTAL \$

REBATE IS LIMITED TO 50% OF NEW CHILLER COST.

TABLE 3 – QUALIFYING EFFICIENCIES AND REBATE SCHEDULE					Path B – Water and Air Cooled Chillers with Variable Speed / Demand Limiting Controls				
Code	Qualifying Equipment	Min. FLV Eff.	Min. IPLV Eff.	Base Rebate \$/Ton	Efficiency Bonus Rebate \$/Ton				
C1-20B	Water-Cooled Screw/Scroll Chiller – Less than 75 Tons	0.800 kW per Ton	0.550 kW per Ton	\$15	\$2.00	Convenience Store	Estimated Hours	986	
C2-20B	Water-Cooled Screw/Scroll Chiller – 75 to less than 150 Tons	0.790 kW per Ton	0.536 kW per Ton	\$15	\$2.00	Education – Community College		785	
C3-20B	Water-Cooled Screw/Scroll Chiller – 150 and less than 300 Tons	0.718 kW per Ton	0.490 kW per Ton	\$15	\$2.00	Education – Primary		408	
C4-20B	Water-Cooled Screw/Scroll Chiller – 300 Tons and Greater	0.639 kW per Ton	0.440 kW per Ton	\$15	\$2.00	Education – Secondary		563	
C5-20B	Water-Cooled Centrifugal Chiller – Less than 150 Tons	0.639 kW per Ton	0.430 kW per Ton	\$15	\$2.00	Health/Medical – Clinic		865	
C6-20B	Water-Cooled Centrifugal Chiller – 150 and less than 300 Tons	0.639 kW per Ton	0.430 kW per Ton	\$15	\$2.00	Health/Medical – Hospital		1,298	
C7-20B	Water-Cooled Centrifugal Chiller – 300 and less than 600 Tons	0.600 kW per Ton	0.380 kW per Ton	\$15	\$2.00	Lodging		754	
C8-20B	Water-Cooled Centrifugal Chiller – 600 Tons and Greater	0.590 kW per Ton	0.380 kW per Ton	\$15	\$2.00	Manufacturing		589	
C9-20B	Air-Cooled Chiller – Less than 150 Tons	9.562 EER	14.0 EER	\$8	\$2.00	Office – Low Rise		446	
C10-20B	Air-Cooled Chiller – 150 Tons and Greater	9.562 EER	14.3 EER	\$8	\$2.00	Office – Mid Rise		651	
						Office – High Rise		1,263	
						Other/Miscellaneous		729	
						Restaurant		652	
						Retail – Large Department Store		686	
						Retail – Strip Mall		574	
						Warehouse		409	

* Efficiency Bonus Rebate provides an additional incentive for each 0.01 kW per Ton below the Minimum IPLV Efficiency for water-cooled chillers), or for each 0.1 EER above the minimum IPLV efficiency for air-cooled chillers.

FLV – Full Load Value; IPLV – Integrated Part Load Value; EER – Energy Efficiency Rating; Cooling Tons = BTU/h cooling capacity/12,000

Note: Qualifying chillers must be used for space cooling and the meet efficiency requirements shown in Table 3 above to be eligible. **Documentation is required.** This can be a printout from the AHRI directory (www.ahrirectory.org) showing the nominal capacity (tons), and the IPLV efficiency and FLV efficiency. If the chiller has not been tested by AHRI, manufacturer documentation must show the nominal capacity (tons), and the IPLV efficiency and FLV efficiency at AHRI standard 550/590 rating conditions. For water cooled centrifugal chillers not tested at AHRI standard 550/590 rating conditions, manufacturer documentation must show the nominal capacity (tons), and the IPLV efficiency, FLV efficiency, leaving chilled water temperature, and condenser gpm at operating conditions so we can determine eligibility and rebate amount.

SECTION F. TERMS AND CONDITIONS

1. ELIGIBILITY

Rebates are available to non-residential electric customers of Austin Utilities, Owatonna Public Utilities, and Rochester Public Utilities (herein referred to as The Utility). All products must be in use in facilities in The Utility service territory.

2. APPLICATION

Program is offered January 1 through December 31 of the respective calendar year. **Due to limited funding, this rebate offer can be changed or withdrawn at any time without notice and is available on a first-come, first-served basis.** The entire rebate application must be read and filled out completely or application will be returned.

3. INSPECTION AND VERIFICATION

The Utility reserves the right to inspect the customer's facility through on-site visits before and after new equipment installation to verify rebate eligibility. The Utility reminds you to follow all local permitting and building code ordinances.

4. INSTALLATION AND REBATE AMOUNTS

Qualifying energy-efficient equipment installed and operational within six (6) months of the date of purchase are eligible for rebate. Additional time may be granted subject to The Utility's pre-approval. In no case will the rebate paid by The Utility exceed the purchase price of the equipment. The maximum rebate amount is \$100,000 per customer location per technology per year.

5. INVOICE AND PAYMENT

Following inspection and verification (see #3) and completed installation, the customer must notify The Utility and submit original invoices specifying the model number, quantity and price of all materials purchased, the date ordered, installation costs, and applicable taxes. Additionally, SEER/EER (Rooftop, Packaged, and Condensing A/C Units) certification data or manufacturer's kW per Ton (Central Chillers) is required to be submitted with invoices. After satisfactory review of the application and invoices, a rebate check or bill credit will be issued to the customer. Vendors or contractors are not eligible to receive their customer's rebate. Please allow 6-10 weeks from the date of application submission for delivery of rebate check or bill credit. The Utility reserves the right to apply the rebate to past due accounts.

6. EQUIPMENT ELIGIBILITY REQUIREMENTS

Eligible high-efficiency cooling equipment must be new and meet or exceed The Utility's minimum efficiency requirements as identified in Tables 1 and 3 according to its respective characteristics. Eligible high-efficiency cooling units must replace units of lesser efficiencies and of equivalent or greater capacity (Tons or Btu's/hour) to qualify for a rebate.

Central Chillers: Qualifying chillers must meet the efficiency requirements shown in Table 3 to be eligible and have kW per Ton ratings stamped on the nameplate. Documentation is required. This can be a printout from the AHRI directory (www.ahridirectory.org) or if the chiller has not been tested by AHRI, manufacturer documentation must show the rated capacity (tons), and the IPLV efficiency and the full-load efficiency at AHRI standard 550/590 rating conditions:

- 44° F leaving chilled water temperature
- 85° F entering condenser water temperature (for water cooled chillers)
- 95° F entering condenser air temperature (for air cooled chillers)

For water cooled centrifugal chillers not tested at AHRI standard 550/590 rating conditions, manufacturer documentation must show the nominal capacity (tons), and the IPLV efficiency, full-load efficiency, leaving chilled water temperature, entering condenser water temperature, and condenser gpm at operating conditions.

7. TAX INFORMATION

The Utility will not be responsible for any tax liability imposed as a result of the rebate payment(s). Customers are advised to consult their tax advisors for details.

8. DISCLAIMER

The Utility does not guarantee that the implementation of energy-efficient measures or use of the equipment purchased or installed pursuant to this program will result in energy or cost savings. The Utility makes no warranties, expressed or implied, with respect to any equipment purchased or installed including, but not limited to, any warrant of merchantability or fitness for purpose. In no event shall The Utility be liable for any incidental or consequential damages. Customers are solely responsible for the proper disposal of existing equipment. Consult the Minnesota Pollution Control Agency (MPCA) office for details at 800.657.3864.

9. ENDORSEMENT

The Utility does not endorse any particular vendor, manufacturer, product, or system in promoting this rebate program. Listing a vendor or product does not constitute an endorsement, nor does it imply that unlisted vendors or products are deficient or defective in any way.

10. PRIVACY

Information contained in this rebate application may be shared with the Minnesota Department of Commerce and our co-op partners and also may be used in our advertising efforts with your permission as granted in Section B of this rebate application.

MAIL OR EMAIL COMPLETED APPLICATION AND REQUIRED DOCUMENTATION TO YOUR UTILITY PROVIDER:

Austin Utilities
Attn: Rebate Processing
1908 14th St NE
Austin, MN 55912-4904
507-433-8886
www.austinutilities.com
rebates@austinutilities.com

Owatonna Public Utilities
Attn: Rebate Processing
PO Box 800
Owatonna, MN 55060-0800
507-451-2480
www.owatonnautilities.com
rebates@owatonnautilities.com

Rochester Public Utilities
Attn: Rebate Processing
4000 E River Rd NE
Rochester, MN 55906-2813
507-280-1500
www.rpu.org
rebates@rpu.org